Area 3 North Central-North/NorthEast Tab 7 – Intervention Selection Form

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	STD and HIV Risk in Heterosexual Adults Attending a Public STD Clinic FS-23
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	 Low perceived susceptibility. Poor negotiation safety Cultural norms Poor social support Dislike condoms
Intended Immediate Outcomes	Increase risk perception Increase intent to use condoms Increase skill in use of condoms
Туре	ILI
Setting	STD clinics
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	It addresses the major FIBS identified for this population. Ethnic and cultural specific

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	Project RESPECT C-11, FS-35
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	 Negative attitudes toward condom use Low perceived susceptibility Group norms
Intended Immediate Outcomes	Increase risk perception Increase intent to use condoms Develop risk reduction plan
Туре	ILI
Setting	STD clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	May be modified to be used in other settings. Addresses attitudes toward condom use. Two levels of intervention to meet specific clients' needs

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	Project LIGHT FS-43
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	 Low perceived susceptibility Poor attitudes toward condom use Negotiation skills Limited skills in developing relationships
Intended Immediate Outcomes	Increase risk perception Increase skill in proper use of condoms Increase intent to use condoms
Туре	GLI
Setting	Inner-city STD clinics
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Provides opportunities to practice safer sex and negotiation skills. Promotes changes in attitudes toward condoms

Subpopulation:	FMS Men H	Ranking: 20	

Name of Intervention	VOICES/VOCES: Video Opportunities for Innovative Condom Education and Safer Sex C-14. FS-46
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	 Negative attitudes toward condom use Poor negotiation skills Group Norms
Intended Immediate Outcomes	Increase intent to use condoms Increase negotiation skills Increase access to condoms
Туре	GLI
Setting	STD clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Ethnic/ gender and Culturally specific. Improves attitudes toward condom

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	Condom Skills Education and Sexually Transmitted Disease Reinfection C-7
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	Negative attitudes toward condom use
Intended Immediate Outcomes	Increase intent to use condoms
Туре	GLI
Setting	STD clinic waiting rooms
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Addresses population's major barrier to safer sex

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	Group Counseling at STD Clinics to Promote use of Condoms C-8
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	Negative attitudes toward condom use.
Intended Immediate Outcomes	Increase intent to use condoms
Туре	GLI
Setting	STD clinic waiting room
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	This population reported low condom use, and a negative attitude toward using them

Tab 7 – Intervention Selection Form

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	HIV Education, Testing and Counseling C-15
Risk Behavior(s)	Unprotected sex
	Multiple partners
Influencing Factor(s)	Low perceived susceptibility
or FIBs	 Negative attitudes toward condom use.
Intended Immediate	Increase risk perception
Outcomes	Learn serostatus
	Develop risk reduction plan
	Increase access to needed diagnosis and treatment services
_	
Туре	ILI
Cotting	Lighan CTD alinias
Setting	Urban STD clinics
Is this intervention	
currently being	200
provided in your	no
planning area?	
Rationale for	Provides opportunity for HIV testing and addresses condom
Selecting this	use
Intervention:	use
intervention.	

Subpopulation:	FMS Men H	Ranking:	20

Name of Intervention	CTD Tacting
ivame of intervention	STD Testing
Risk Behavior(s)	Unprotected sex
	Multiple partners
Influencing Factor(s)	Low perceived susceptibility.
or FIBs	 Lack of knowledge of where to go for services.
Intended Immediate	Increase access to testing
Outcomes	Increase knowledge of STD infection status
	Increase access to needed diagnosis and treatment
	services
Туре	Other
.,,,,,	
Setting	Non-traditional test sites
Is this intervention	limited
currently being	
provided in your planning area?	
planning area:	
Rationale for	High STD morbidity
Selecting this	
Intervention:	